

ASPHER Report: COVID-19 Situation Reporting across Europe

Week of January 9th, 2023

Authors: Rok Hrzic^{1,2,3}, Nadav Davidovitch^{3,4*}

¹ Maastricht University, the Netherlands

² ASPHER Young Professional

³ ASPHER COVID-19 Task Force

⁴ Ben-Gurion University of the Negev, Israel

Corresponding Author: nadavd@bgu.ac.il

This is ASPHER's weekly surveillance report. We hope it is complementary to other resources such as ECDC and Our World in Data, where the reader can go for more detailed information. Please give us your feedback: is the presentation helpful to you and your colleagues? What other information would you like to see in it?

Key messages

- The [WHO weekly epidemiological update](#) highlights that globally, more than 3 million new cases and 10 000 deaths have been reported in the week of 26 December 2022 to 1 January 2023. This represents a reduction in weekly cases and deaths of 22% and 12%, respectively. In the last 28 days (5 December 2022 to 1 January 2023), over 14.5 million cases and over 46 000 new fatalities were reported globally – an increase of 25% and 21%, respectively, compared to the previous 28 days. As of 1 January 2023, over 656 million confirmed cases and over 6.6 million deaths have been reported globally..
- The ECDC country overview report has not yet been updated in 2023.

Highlighted COVID-19 paper

Philippe, C., Bar-Yam, Y., Bilodeau, S., Gershenson, C., Raina, S. K., Chiou, S.-T., Nyborg, G. A., & Schneider, M. F. (2023). Mass testing to end the COVID-19 public health threat. In *The Lancet Regional Health - Europe* (Vol. 25, p. 100574). <https://doi.org/10.1016/j.lanepe.2022.100574>

- The authors argue that mass testing (regular asymptomatic screening of the general population) is an alternative to mobility restrictions that can dramatically reduce cases and quickly restore economic and social activity.

































ASPHER statement on the pandemic



























ASPHER is concerned about talk of the ‘end of the pandemic’. *Pandemic* is not defined by politicians, or by journalists. The *pandemic* is defined by the World Health Organisation, under strict decision-making process and not as mere opinion. A pandemic is “an epidemic occurring worldwide, or over a very wide area, crossing international boundaries and usually affecting a large number of people”. We are still in the midst of the pandemic.
















We are concerned with the rapid dismantling of non-pharmaceutical interventions against COVID-19 across Europe. In a [recent opinion paper](#), we advocate for European governments’ continued recommendation for the use of face masks in high-traffic public areas like public transport. The reality remains that the future evolution of the pandemic is highly uncertain. Primary health care and social care provision across Europe are not yet restored to pre-pandemic levels due to the burden of ever-new variants of the virus. Occupational health services are non-existent in many parts of Europe and therefore unable to address mass sickness absence or support workers in key industries suffering burnout. We urge governments to invest in additional measures to support primary care, social care, and occupational health. The protection of our key service workers is a central concern. We will not come out of the pandemic until we seriously address the problem globally. We need global solidarity, commitment to [international preparedness](#) and [increased global production of vaccines](#).

ASPHER supports the [VACCINE-plus approach](#) to pandemic control; or what we have called ‘[COVID-DO IT ALL](#)’. We recognize the importance of following [non-pharmacological interventions](#) as well as achieving a high level of vaccine uptake. Vaccine hesitancy still needs to be understood and addressed especially in Eastern parts of Europe. We need to protect frontline services, protect children, and protect vulnerable people. Current political moves in Europe are adding to the likelihood of increased transmission, creating more pressures on services, more likelihood of additional sickness absence, economic damage, and social disruption. The mindset of the ‘pandemic is over’ will have the dangerous impact of prolonging it.

Rolling average of latest COVID-19 death and hospitalization rates in the countries of the WHO-Europe region ([Source: Our World in Data](#)).


WHO Europe region	Daily newly confirmed COVID-19 deaths/million people	30-day trend in deaths	Weekly hospital admissions/million	30-day trend in weekly hospital admissions
Andorra	12.53			
Finland	8.51			
Sweden	4.27			
San Marino	4.24			
Monaco	3.92			
Iceland	3.83		37.96	
Croatia	2.87		127.84	
Greece	2.27		126.33	
Denmark	2.26		96.22	
Belarus	2.10			
Germany	2.10		79.69	
Belgium	2.05		57.57	
Luxembourg	1.99		75.62	
Italy	1.88		54.56	
Spain	1.54		64.57	
France	1.53		70.21	
Estonia	1.40		195.48	
Malta	1.34		25.19	
Ireland	1.31		127.44	

WHO Europe region	Daily newly confirmed COVID-19 deaths/million people	30-day trend in deaths	Weekly hospital admissions/million	30-day trend in weekly hospital admissions
Portugal	1.27			
Austria	1.10			
Lithuania	0.88			
Slovenia	0.88		76.81	
Czechia	0.84		52.32	
Hungary	0.73			
Slovakia	0.71		33.70	
Serbia	0.69			
Cyprus	0.64		63.62	
North Macedonia	0.61			
Israel	0.59		31.64	
Turkey	0.48			
Bosnia and Herzegovina	0.44			
Romania	0.38			
Bulgaria	0.36			
Moldova	0.31			
Russia	0.31		32.72	
Azerbaijan	0.26			
Montenegro	0.23			
Armenia	0.21			

WHO Europe region	Daily newly confirmed COVID-19 deaths/million people	30-day trend in deaths	Weekly hospital admissions/million	30-day trend in weekly hospital admissions
Poland	0.20			
Switzerland	0.18		9.04	
Ukraine	0.18			
Netherlands	0.16		49.93	
Georgia	0.08			
Kosovo	0.08			
Albania	0.05			
Kazakhstan	0.02			
Kyrgyzstan	0.02			
Tajikistan	0.01			
United Kingdom	0.01		58.67	
Uzbekistan	0.01			


The age-standardised all-cause death rates in 2020, 2021 and 2022, and the 2015-2019 average by week and sex in selected countries of the WHO-Europe (Source: Human Mortality Database).

Age-standardised death rate (men)




Age-standardised death rate (women)

— 2015-2019 — 2020 — 2021 — 2022




Rolling 7-day average of daily confirmed COVID-19 death rates (per million) in sub-regions of Europe
(Source: [Our World in Data](#)).


COVID-19 death rate in the Mediterranean region




COVID-19 death rate in the South-East region




COVID-19 death rate in Central Europe



COVID-19 death rate in Baltics and Nordic Countries



COVID-19 death rate in North-Western Europe



COVID-19 death rate in Central Asia

